



MFX-4550  
Professional Edition

IMAGING **A-C-C-E-L-E-R-A-T-E-D**

DEPLOY. DUPLICATE. DIGITIZE. DELIVER.

**muratec**



## DEPLOY.

The new MFX-4550 from Muratec enables you to **deploy** a high-speed multifunction solution capable of handling the copy, print, scan and fax needs of a busy workgroup into a location traditionally occupied by a standalone laser printer.



- Easily integrate the MFX-4550 into your existing print environment by replacing single function printers with a high-speed multifunction device that features innovative copy, print, scan and fax solutions.
- The MFX-4550 installs quickly on the network and its modular design enables you to easily install additional paper cassettes, staple finishing and fax capabilities, thus creating a multifunction solution designed specifically for your workgroup.
- Seamlessly deploy the MFX-4550 into Windows, Linux and Macintosh environments.
- IT Managers can quickly deploy, configure and monitor the MFX-4550 using an innovative suite of network monitoring tools.
- Widescreen, back-lit touch panel is easy-to-operate and significantly reduces the learning curve.
- Manage your jobs directly on the control panel. Change job priority on-the-fly by moving important jobs to the front of the queue to maximize efficiency.
- Quickly navigate function menus, execute job processes, register e-mail addresses and fax locations and configure features such as inbound fax routing to e-mail from the control panel.
- Efficiently troubleshoot the MFX-4550 with animated jam, error and warning messages, and receive step-by-step instructions through the embedded Maintenance Guide.

## DUPLICATE.


At 45 pages-per-minute this powerful MFP accelerates two-sided document **duplication** through the 50-sheet reversing document feeder or legal-size platen glass, while the standard Ethernet connection quickly enables printing from Windows and Macintosh-based operating systems and network environments.



- Not only does the MFX-4550 produce copy output at 45 pages-per-minute, its standard duplex kit produces two-sided images at a blazing-fast 42 images-per-minute.
- The 50-sheet reversing automatic document feeder (RADF) enables the faxing, copying or scanning of large, two-sided jobs without having to split them into multiple sets.
- Legal-size platen glass enables the copying, faxing or scanning of documents that are not appropriate for the document feeder (carbon paper, identifications cards, books, etc.)
- With a 6 second first-copy-out-time and 30 second warm-up time there's no waiting around at the MFX-4550.
- Mixed-original detection enables you to combine letter and legal-size originals in the RADF and the MFX-4550 will produce output on the corresponding sizes.
- Innovative features such as clone copy, outline erase, book copy and image combination enable the creation of professional looking output while reducing both toner and paper consumption.
- ID copy mode allows for seamless copying of two-sided driver's licenses or insurance cards.
- Create distribution ready documents by utilizing the staple, offset stacking and sorting features available on the MFX-4550. The optional staple finisher can staple up to 50 sheets and the finisher output tray can hold up to 500 sheets.
- The MFX-4550 features a standard 520-sheet front loading paper cassette that is accessible and user adjustable.
- The device also features a 100-sheet multipurpose bypass tray that enables printing on labels, envelopes, letterhead, heavy paper stocks and other media that requires a direct feed into the print engine.
- Up to three 520-sheet cassettes can be added to the base model to bring the total paper capacity to 2,180-sheets. The MFX-4550 supports automatic tray switching to keep document output flowing even if a paper cassette runs out of paper.
- An optional caster or paper cabinet can be added to enable paper storage, height adjustment and unit mobility.


## DIGITIZE. DELIVER.

The MFX-4550 *digitizes* color and monochrome paper documents into electronic files and *delivers* them to shared network locations, e-mail addresses, FTP sites and fax terminals (with the optional high-speed fax modem installed).



- The MFX-4550 combines an enhanced scanning resolution (4800 x 4800 dpi) with a color CCD to provide high-quality document imaging.
- Capture two-sided documents quickly using the duplexing automatic document feeder.
- The MFX-4550 supports efficient digital document capture and delivery through a host of solutions that route electronic documents to e-mail addresses, FTP sites and network locations.
- Convert hardcopy documents into TIFF, PDF or JPEG images.
- Utilize LDAP (Lightweight Directory Access Protocol) to access the most up-to-date contact information from your corporate directory.

- With the optional fax modem installed you can incorporate productivity boosting fax functionality into the workgroup. The MFX-4550 fax kit includes 200-number speed dialing, creation of up to 100 dialing groups, duplex transmission and reception, secure faxing and more.
- JBIG compression reduces the transmission packet allowing for shorter connection times.
- Send documents to a remote fax terminal directly from your PC using the intuitive SmartThru utility.
- Route inbound fax documents to an e-mail address to reduce paper consumption and increase document security.



- At the heart of the MFX-4550 is a powerful network printer that produces single-sided output at 45 pages-per-minute and two-sided output at 42 images-per-minute. And with a host of productivity enabling print functions the MFX-4550 can do far more than the printer it's replacing!
- High-speed Ethernet and USB connections are standard and enable both local and shared device connectivity.
- The MFX-4550 features standard PCL and PostScript 3 support enabling the device to print out of a variety of Windows, Linux and Macintosh operating systems and network environments.

- The 40-GB hard drive enables advanced printing functions such as job collation, proof printing, delayed printing, password protected printing and temporary job storage.
- Print Job Rescheduling manages print jobs based on FIFO (First In, First Out) order; meaning if a print job has an error the next job will begin printing without having to wait for user intervention.



# MFX-4550 SPECIFICATIONS

## GENERAL

<b>Classification</b>	Segment 4 Multifunctional
<b>Recording Method</b>	Laser
<b>Print Speed</b>	45 pages-per-minute
<b>Duplex Print Speed</b>	42 images-per-minute
<b>Control Panel</b>	Wide-panel touch screen
<b>Automatic Reversing Document Feeder</b>	50 sheets
<b>Standard Paper Capacity</b>	620 sheets
<b>Max. Paper Capacity</b>	2,180 sheets
<b>Cassette Paper Weight</b>	16 to 32 lb.
<b>Bypass Paper Weight</b>	16 to 53 lb.
<b>Output Tray Capacity</b>	500 sheets
<b>Max. Original Size</b>	8.5" x 14"
<b>Duplex Scanning</b>	Standard
<b>Duplex Printing</b>	Standard
<b>Color Scanning</b>	Standard
<b>Staple Finishing</b>	Optional (single-position)
<b>Staple Limit</b>	50 sheets
<b>Finisher Output Capacity</b>	500 sheets
<b>Electronic Sorting</b>	Standard
<b>Off-set Stacking</b>	Standard w/Staple Finisher
<b>Auto. Image Adjustment</b>	Standard
<b>Usage Counter</b>	Print & Scan
<b>Dimensions (W x D x H)</b>	24.5" x 19" x 24"
<b>Weight (in pounds)</b>	110
<b>Toner Yield</b>	20,000 @ 5% page coverage
<b>Drum Yield</b>	60,000
<b>MFP Memory Std / Max.</b>	256 MB
<b>Ethernet Connection</b>	Standard 10/100 BaseT, RJ-45 connection
<b>Network Protocol</b>	TCP/IP, Netware, EtherTalk
<b>Network Addressing</b>	DHCP, BOOTP
<b>Network Authentication</b>	LDAP, Kerberos, SMB
<b>Local PC Connection</b>	Standard USB 2.0

## COPY

<b>First Copy Out Time</b>	6 seconds
<b>Warm-Up Time</b>	30 seconds
<b>Platen Glass</b>	8.5" x 14"
<b>Copy Resolution</b>	600 x 600 dpi
<b>Copy Scan Speed (FBS)</b>	1.6 seconds-per-page
<b>Copy Scan Speed (ADF)</b>	1.6 seconds-per-page
<b>Number of Copies</b>	1-999
<b>Image Combination</b>	2-1, 4-1
<b>Magnification</b>	25-400% in 1% increments
<b>Special Copy Functions</b>	ID Copy, Margin Shift, Book Copy, Booklet Copy, Outline Erase, Image Repeat, Background Erase

## SCAN

<b>Scan Resolution</b>	600 x 600 dpi (optical), 4800 x 4800 dpi (enhanced)
<b>Grayscale</b>	256 levels
<b>Scan to E-Mail</b>	Standard
<b>File Formats</b>	TIFF, PDF, JPEG
<b>Scan to FTP</b>	Standard
<b>Scan to SMB</b>	Standard
<b>LDAP Directory Support</b>	Standard
<b>Compatibility</b>	TWAIN, WIA

## PRINT

<b>OS Support</b>	Win 98SE, Me, NT 4.0, 2000, XP, 2003, Vista Linux Red Hat 8-9, Fedora Core 1-4, Mandrake 9.2-10.1, SuSE 8.2-9.2 Mac OS 10.3-10.4
<b>Page Description Language</b>	Standard PCL6 & PostScript 3
<b>Driver Installation</b>	Client or Server
<b>Secure Print</b>	Standard
<b>First Print Out Time</b>	8 seconds
<b>Special Print Functions</b>	Watermark Printing, Delayed Printing, Proof Printing, Collation, Booklet Printing, Poster Printing

## FAX - OPTIONAL

<b>Modem Speed</b>	33.6 Kbps
<b>Max. Compression</b>	JBIG
<b>Dual Line</b>	No
<b>Max. Transmission Speed</b>	3 seconds-per-page
<b>Default Scan Speed</b>	1.6 seconds-per-page
<b>Document Memory Back-Up</b>	72 hours
<b>Speed Dial Locations</b>	200 locations
<b>Inbound Fax to E-Mail</b>	Standard
<b>Special Fax Functions</b>	Broadcasting, Group Tx, Polling, Secure Fax, Duplex Fax, Error Correction Mode

## OPTIONS & ACCESSORIES

	Item no.
<b>A. 520-sheet Cassette</b>	4550CAS
<b>B. Caster</b>	4550CASTER
<b>C. Paper Cabinet</b>	4550CAB
<b>D. Fax Kit</b>	4550FAX
<b>E. Staple Finisher</b>	4550FN
<b>F. Staple Cartridge (5,000 Staples)</b>	4550STP



A.



B.




C.



D.



E.



F.



**Muratec America, Inc.**

3301 East Plano Parkway, Suite 100, Plano, Texas 75074

For more information on Muratec products or services, call (469) 429-3300 or visit our web site at [www.muratec.com](http://www.muratec.com)



As an ENERGY STAR® partner, Muratec America, Inc. has determined that these products meet the ENERGY STAR® guidelines for energy efficiency.

Muratec, the Muratec logo and all Muratec product and feature names are trademarks of Muratec America, Inc. Energy Star is a registered trademark of the U.S. Environmental Protection Agency. All specifications subject to change.