



KONICA MINOLTA

magicolor 2530 DL



Low-Cost, Desktop,
Network Color
Laser



Low-Cost, Desktop, Network Color Laser



QUICK SPECS

- 20 ppm black & white, 5 ppm color
- 2400 x 600 dpi resolution
- 64 MB RAM std., 576 MB max.
- Fast Ethernet® and Hi-Speed USB 2.0 interfaces
- First page out in 12 seconds (b&w), 21 seconds (color)
- Windows®, Macintosh®, and Linux® compatible
- 35,000 page-per-month duty cycle
- 1-year exchange warranty

Get fast, affordable color laser printing for your small office or workgroup with the compact, network-ready magicolor 2530 DL.

Dependable, Affordable, and Practically Effortless to Use

This desktop color laser is built to last, easy on your budget, and simple to use.

- The magicolor 2530 DL has a duty cycle of up to 35,000 pages per month, so you can rely on this color laser dynamo for all your printing needs.



- With a low purchase price and high-yield toner cartridges, the magicolor 2530 DL has a cost-per-page of just pennies for color or black & white prints.
- From the box to your desktop, setup takes only minutes, with pre-installed supplies and auto-run installation software.
- Daily operation is simple with such built-in reliability features as automatic network installation, color calibration, and paper jam recovery.

Versatile Reality

It's hard to believe what this compact color printer can do.

- Fast Ethernet and High-Speed USB 2.0 interfaces make the magicolor 2530 DL an ideal shared workgroup or stand-alone printer.
- Compatible with Windows, Macintosh, and Linux, the magicolor 2530 DL easily supports a multi-platform workgroup.
- A maximum paper capacity of 700 sheets, up to 576 MB of RAM, and print speeds of 20 ppm in b&w and 5 ppm in color mean the magicolor 2530 DL can quickly process a sizeable number of print jobs for the entire office.
- Print vivid color photos directly from your digital camera with the PictBridge-enabled USB 1.1 Host Port—no PC or additional software required.



Multi-Media Artist

Get amazing color quality on different types and sizes of media.

- With 2400 dpi resolution, text and images are reproduced in lush, vivid detail, sending a positive, compelling message to your customers.



- The magicolor 2530 DL uses KONICA MINOLTA Simitri® Polymerized Toner, which produces crisp lines, vibrant colors, and fine details in text and graphics. And, the quality of your printed pages will stay true for up to 100 years.
- Supporting the most common media sizes, as well as custom sizes from 3.6" x 5.8" up to 8.5" x 14", the magicolor 2530 DL can handle almost any kind of job, from flyers and brochures to custom-designed print projects.
- The magicolor 2530 DL prints on a variety of media types and weights—including plain paper, letterhead, thick stock, glossy stock, transparencies, labels, postcards, and envelopes—to cover every office need.



basics

options

CONTROL PANEL

- Intuitive display and menu
- At-a-glance toner gauges

PRINT SPEED

- Color: Up to 5 ppm
- B&W: Up to 20 ppm

INTERFACES

- Fast Ethernet (10/100BaseTX), Hi-Speed USB 2.0

MEMORY

- 64 MB RAM

COMPATIBILITY

- Windows Vista/Server 2003/XP/2000/NT4/Me/98SE
- Macintosh OS X (v10.2+)
- Linux Red Hat 8.0+/SuSE 8.1+

RESOLUTION

- Up to 2400 x 600 dpi
- eAIDC and ICC-based color matching

PAPER INPUT

- Up to legal (8.5" x 14")
- Adjustable 200-sheet multipurpose tray

CAMERA DIRECT PHOTO PRINT

- Direct connection to easy-access USB 1.1 Host Port
- PictBridge 1.0 compatible



MEMORY

- Upgrade to 576 MB

DOCUMENT HANDLING

- Automatic duplexer for two-sided printing

PAPER INPUT

- 500-sheet cassette (letter or A4)
- 700-sheet maximum input capacity



Quality Assured

You can count on the magicolor 2530 DL for consistent, high-quality print performance.

- Printer management is easy with PageScope™ Web Connection, which lets you view information and configure the magicolor 2530 DL via your web browser.
- The helpful Status Monitor resides on your screen for quick and easy accessibility to printer details, including current status, consumable levels, and explanations of any errors that may have occurred.
- The magicolor 2530 DL is backed by 5 years of toll-free, US-based technical support with answer times that average under one minute.





magicolor 2530 DL – Technical

Printing Process

Print Method: Electrophotographic laser
Print Speed*:
 Color: Up to 5 ppm
 Monochrome: Up to 20 ppm
Warm-up time: 45 seconds average
First-Page-Output Time*:
 Color: 21 seconds from an idle, ready state
 Monochrome: 12 seconds from an idle, ready state
Resolution: 2400 x 600 dpi, 1200 x 600 dpi (default), 600 x 600 dpi
Recommended Duty Cycle: Up to 35,000 prints/month

Hardware and Software Capabilities

Processor Type: TAK pro800, 130 MHz
Memory: 64 MB SDRAM on board, upgradable to 576 MB (one slot)
Operating System Compatibility: Windows Vista/Server 2003/XP (Home/Pro)/2000/NT4/Me/98SE; Macintosh OSX (v10.2+); Linux Red Hat 8.0+/SuSE 8.1+
Printer Management: PageScope Web Connection, KONICA MINOLTA Desktop Status Display
Color Support: Enhanced Automatic Image Density Control (eAIDC), Automatic ICC-based color matching
Camera Direct Photo Print: PictBridge 1.0; base memory supports all functions in draft and normal modes; an additional 128 MB of memory is required to support all functions in fine mode.

Host System Requirements

Windows:
Minimum: 400 MHz Pentium® II-class PC with 128 MB RAM, 256 MB free disk space, CD-ROM / DVD drive
Recommended: 500 MHz or higher Pentium III-class PC
Macintosh:
Minimum: Power Mac G3, 256 MB free disk space, CD-ROM / DVD drive
Recommended: Power Mac G4 or later

Interface Support

Ethernet 10/100BaseTX (supports TCP/IP, IPP, DHCP, BOOTP, HTTP, SNMP, SLP, LPR, Bonjour, SMB, LPD, ARP, ICMP); Hi-Speed USB 2.0 (supports Microsoft 'Plug and Play'); USB 1.1 Host Port (for Camera Direct Photo Print)

Media Handling

Standard Paper Input: 200-sheet multipurpose tray
Optional Paper Input: 500-sheet cassette
Standard Paper Output: 200-sheet face-down output tray
Duplex Printing: Manual** (automatic optional)
Optional Automatic Duplexer: For two-sided printing. To support full-color duplex printing on all page sizes, 128 MB of memory is required for 600 x 600 dpi resolution and 1200 x 600 dpi resolution; 256 MB of memory is required for 2400 x 600 dpi resolution.
Paper Sizes Supported:
 Multipurpose Tray: Letter, Legal, A4, Executive, Statement, Folio, Foolscap, UK Quarto, Letter Plus, Govt. Letter, Govt. Legal, A5, B5 (JIS), Kai 16, Kai 32, 16K; Japanese Postcard, Double Postcard; Monarch, Com 10, DL, B5 (ISO), C6, C5, Chou #3, Chou #4, You #4 Envelopes; Custom sizes (W) 3.6" - 8.5" (92 - 216 mm), (L) 5.8" - 14" (148 - 356 mm)
 500-Sheet Cassette (optional): Letter, A4
Printable Area: 0.16" (4 mm) from all edges; 13.45" (341.6 mm) color and 13.7" (347.6 mm) monochrome guaranteed print length
Paper Weights:
 Plain Paper: 16 - 24 lb. Bond (60 - 90 g/m²)
 Thick Stock: 24 lb. Bond - 80 lb. Cover (90 - 220 g/m²)
 500-Sheet Cassette: 16 - 24 lb. Bond (60 - 90 g/m²)
Print Media: Plain paper, letterhead, thick stock, glossy stock, transparencies, laser-quality labels, postcards, and envelopes

Physical

Type: Laser printer with internal controller
Dimensions (WxDxH): w/ tray cover 16.9" x 19.8" x 13.4" (430 x 502 x 341 mm); w/ tray closed: 16.9" x 15.6" x 13.4" (430 x 395 x 341 mm)
Weight: w/o consumables: 38.2 lbs. (17.4 kg); w/ consumables: 45.8 lbs. (20.8 kg); as shipped: 55.2 lbs. (25.1 kg)

Electrical

Power Requirements:
 120V Model: 120 VAC ± 10%; 50/60 Hz ± 3%
 220/240V Model: 220/240 VAC ± 10%, 50/60 Hz ± 3%
Power Consumption:
 Operating: 600 W average, 1,100 W maximum
 Standby: 250 W or less
Energy Star* Compliant:** 15 W or less

Environmental

Temperature Requirements: Operating: 50° to 95° F (10° to 35° C)
 Non-operating: 32° to 95° F (0° to 35° C)
Humidity: Operating: 15% to 85% RH
 Non-operating: 10% to 85% RH
Noise Levels: Operating: <52 dB(A); Standby: <35 dB(A)

Regulatory/Safety Conformity

UL, cUL, CSA, FCC-B, CDRH, DOC, SASO, RPC

Consumables****

In-Box-Cartridges: Printer ships with one each Cyan, Magenta, Yellow, and Black Cartridges (yield up to 1,500 letter/A4 pages @5% coverage); Drum Cartridge
Replacement Cartridges:
 Cyan, Magenta, and Yellow Toner Cartridges (yield up to 1,500 or 4,500 letter/A4 pages @ 5% coverage); Black Toner Cartridge (yields up to 4,500 letter/A4 pages @ 5% coverage)

Typefaces

Compatible with all Windows and/or TrueType® fonts printed via Windows GDI, Macintosh, and Linux utilities. One resident typeface included.

Warranty

1-year exchange

* Exact print speed differs depending on system configuration, software application, driver, and document complexity.

** Application software support required for page reordering.

*** The addition of some options, in some combinations, may cause the product to become non-compliant. Energy Star compliance does not represent an EPA endorsement of any product or service.

**** The stated life expectancy of each consumable in your printer is based on printing under specific operating conditions such as page coverage for a particular page size (5% coverage of letter/A4). The actual consumable's life will vary depending on the use and other printing variables, including page coverage, page size, media type, continuous or intermittent printing, ambient temperature, and humidity.



KONICA MINOLTA
 PRINTING SOLUTIONS U.S.A., INC.
 (USA, Canada, Latin America)
 Tel.: +1 (800) 523 2696
 Tel.: +1 (201) 316 8200
 Fax: +1 (201) 825 3577

Websites:
 buymagicolor.com
 printer.konicaminolta.com
 q-shop.com

PN: mc2530DLSs2_07